## INDEX.

Acantharus chirurgus, Bl., 483. Acanthias vulgaris, Risso, 446. Acanthoderes, 548. jaspidea, Germ., 549, 555. Ridleyi, Waterh., 555. Acanthopus, de Haan, 513. Acari found in Great Britain, On some unrecorded Parasitic, by A. D. Michael, 400. Acartia, 149. denticornis, Brady, 149. laxa, Dana, 149. Acarus, 286, 287, 288, 292, 295, 296. domesticus, de Geer, 287. Acetes indicus, M.-Edw., 112. Acharana phæopteralis, Guén., 531. 546.Achelous Whitei, A. M.-Edw., 110. Acheta assimilis, Fabr., 533. Acidalia Fara, Kirb., 531, 544. retractaria, 545. Acmæa, 503. noronhensis, Smith, 495, 503. d' Orbigny = Lottia subrugosa, onychina, Gould, 495. Acontiophorus angulatus, Thomps., 153, 155, 156. scutatus, 154. Actæa, de Haan, 511. acantha, M.-Edw., 511. areolata, var., Dana, 109. Rüppellii, Krauss, 109. spongiosa, Dana, 109. Actinia, sp., 565. Actinopora regularis, d'Orb., 280. Actumnus setifer, de Haan, 110. Aculeata, 531. Adamsia palliata, 45. Ægotheles, 388, 351. Novæ-Hollandiæ, 340. Æolosoma, ftnote, 99. Enidea, Baly, 27. facialis, Baly, 57. Esthetus, 548, 552 tuberculatus, Waterh., 552. Aetea recta, Hincks, 504.

Aglaophenia tubulifera, Hincks, 460.

Agonus cataphractus, Linn., 446. Ainos of Japan, half-breeds not permanent (Gulick), 268. Alcedo, 337. Alcyonella, 61, 62. Alcyonium, 565, 566. digitatum, 44, known dead as man's fingers, 44. Alpheidæ, 112. Alpheus, Fabr., 506, 518, 522, 523. comatularum, Hasw., 112. Edwardsii, Aud., 112, 506, 518, 519.heterochelis, Say, 518. minor, Say, 518. minus, Say, 518. minus, var. neptunus, Dana, 112. obeso-manus, Dana, 520. panamensis, Kingsley, 519, 520. Ridleyi, Pocock, 518. rostratipes, Pocock, 522. Alsinastrum, 82. Amathia brasiliensis, Busk, 504. Amathilla homari, Fabr., 456. Amathina imbricata, G. B. Sowerb., 398, tricarinata, 398. Amblypygus, 55. Ampelinæ, 301. Ampelis | cedrorum, morphology of (Shufeldt), 306-318. Ampelis, 306, 307–318, 352, 354, 355, 387. cedrorum, 305-309, 314, 315, 352, 382, 387, 392, 393, garrulus, 301, 305. Ampelisca macrocephala, Lillj., 456. tenuicornis, Lillj., 456. Amphidesma cordiformis, Reeve, 498. Jayanum, C. B. Adams, 498. lenticularis, Sowerb., 498. orbiculata, Say, 498. radiata, Say, 498. reticulata, Sowerb., 498. subtruncata, Sowerb., 498. Amphipoda, 46, 47, 113, 465. Amphisbæna, 474, 475, 476, 481.

Amphisbæna antillensis, R. & L., 482. cæca, D. & B., 481, 482. fenestrata, Cope, = antillensis, R. & L., 482.Ridleyi, Boul., 481, 482. vermicularis, D. & B., ftnote, 481. Amphiura, 44, 47. Chiajei, Forbes, 44, 458, 470. filiformis, O. F. Müll., 44, 458, 470. Anacharis, 82. Anapagurus lævis, Thomps., 454, 469. Anatomical notes upon the Nestling Trochilus (Shufeldt), 385. Anatomy of Antrostomus apart from the Skeleton, Observations on the (Comparisons with Chordeiles) (Dr. R. W. Shufeldt), 343-352. - of certain Caprimulgi (Shufeldt), 338-352. - of the North-American Hirundinidæ (Dr. R. W. Shufeldt), 352-- of the Pclvic Limb in Antrostomus and Chordeiles (Shufeldt), 346. — of the Perignathic Girdle and of other parts of the Test of Discoidea cylindrica, Lamk., sp., On the, by Prof. P. M. Duncan, and W. Percy Sladen, 48. Andrenidæ, 531. Anisolabis Antoni, Dohrn, 530, 532. janeirensis, Dohrn, 530, 532. Auomia ephippium, Linn., 450, 467. patelliformis, Linn., 450, 467. Anomis dispartita, Walk., 531, 544. Anomura, 111. Anonyx denticulata, 46. Anous, 480. melanogenys, Gray, 479. Viuva preta, native name of, 479. Anser cærulcscens, 138. canadensis, 137, 138. hutchinsi, ftnote, 137. hyperboreus, 138. leucopareia, ftnote, 137. occipitalis, ftnote, 137. Antedon rosacea, Linck, 45, 458. Antennularia ramosa, Lamk., 460. Anthophila, 531. flammicineta, Walk., 531, 544.

Antisarsia gemmatalis, Hübn., 544.

W. Shufeldt), 339-343. Antrostomus, 339-352, 384.

carolinensis, 383, 384.

Antrostomus and Chordeiles, On the

Pterylographical tracts of (Dr. R.

vociferus, 302, 339, 340, 342, 384,

Antrostominæ, 384.

Antrostomus apart from the Skeleton. Observations on the Anatomy of (Comparisons with Chordeiles) (Dr. R. W. Shufeldt), 343-352.

Ants, Bees, and Wasps, Observations on, by Sir John Lubbock, 118. collecting honey-dew from Aphides, 121. On the Colour-sense of (Sir J. Lubbock), 122. mimicry among, 121. and seeds of Melampyrum pratense (Lubbock), 133. Aphides, ants collecting honey-dew from (Lubbock), 121. Aphrodita aculeata, Linn., 45, 458, 469.Aplysia, sp., 497. Apogon imberbis, Linn., 483. Aporrhais pes-pelecani, Linn., 46, 448, Arachnids, 438. Arca Adamsi, Shuttlew,, 499. imbricata, Bruquière, 499, 503. lactea, Linn., 499. solida, Sowerb., 499. (Acar) Adamsii, Shuttlew., 499, 503.Arcania pulcherrima, Hasw., 111. 11-spinosa, Adams & White = A. pulcherrima, Hasw., 111. Arcturus longicornis, Sowerb., 46, 456, Argentina sphyræna, Linn., 448. Artotrogidæ, 147, 153. Artotrogus Normani, Brady & Roberts, Arvicola agrestis (field-vole), Myocoptes tenax, and Goniomerus musculinus, Mieh., parasitic on, 403, 406. Ascidia mentula, O. F. Müll., 448, 466. scabra, O. F. Müll., 448, 466. virginea, O. F. Müll., 448, 466. Astacidea, 516. Astarte compressa, Mont., 450, 467. elliptica, Brown, 450, 467. sulcata, DaC., 450, 467.
Asterias rubens, Linn., 458, 470.
violacea, O. F. Müll., 458, 470.
Astraidæ, Ed. & H., 569. agglomeratæ fissiparantes, 569. cæspitosæ, 569. reptantes, 569. Astrangia Danæ, 569. Michelini, 569. solitaria, Lesueur, 569. Astropecten irregularis, 45. Atænius, sp., 549.

INDEX. 573

Atemeles, 119, 120. emarginatus, 119. Atergatis floridus, Rumph, 109. integerrimus, Lamk., 109. Aulacophora, Chevr., 1, 2, 27, 156, 163, 175, 178. abdominalis, Fabr., 2, 13, 14, 17. albicornis, Chapuis, 9. albofasciata, Baly, 2, 4, 6, 7. analis, Weber, 176, 177, 184, 188. anchora, Redt., 26. antennata, Baly, 3, 4, 21, 22. approximata, Baly, 2, 4, 12. argyrogaster, Montrouz., 178, 188. atripennis, Fabr., 2, 4, 8. atripennis, Hope, 5. austro-caledonica, Montrouz., 179, 188. Batesi, Jac., 26. bicolor, Weber, 3, 4, 19, 20, 177. bipartita, Baly, 176, 183, 188. Boisduvali, Baly, 2, 4, 10, 23. coffee, Hornst., 3, 4, 17, 18, 20. cornuta, *Baly*, 3, 5, 15, 16. costatipennis, *Baly*, 5, 26. dorsalis, Boisd., 11 Downesi, *Baly*, 3, 4, 20. Duboulayi, Baly, 3, 4, 22. Duvivieri, Baly, 5, 24. excavata, Baly, 3, 5, 18. excisa, Baly, 5, 25. Fabricii, 2, 5, 14. femoralis, Motsch., 16. flaviventris, Baly, 2, 4, 13. foveicollis, Küster, 3, 5, 13, 16, fraudulenta, Jacoby, 176, 182, 185, 188frontalis, Baly, 176, 181, 188. impressa, Fabr., 18. instabilis, Baly, 2, 4, 10. lata, Baly, 2, 4, 8, 9, 10, 13. lævifrons, Baly, 176, 185, 188. Lewisii, Baly, 5, 24, 179, 188. 22, luteicornis, Fabr., 3, 5, 21, melanoptera, Boisd., 2, 4, 7. melanopus, Blanch, 2, 4, 5. Mouhoti, Baly, 5, 25. nigripennis, Motsch., 2, 4, 5, 24. nigrivestis, Boisd., 3, 20, 24. nigroscutata, *Baly*, 2, 5, 14, 177. nigrosignata, *Baly*, 4, 12, 23. occipitalis, Baly, 176, 179, 185, 188. octomaculata, Baly, 3, 4, 17. Olivieri, Baly, 176, 184, 188. orientalis, Hornst., 176, 180, 188. palliata, Schaller, 176, 180, 188. palustris, Perroud, ftnote, 3, 178.

Aulacophora Perroudi, Baly, 188. postica, *Chapuis*, 2, 3, 4, 12. propinqua, *Baly*, 2, 3, 4, 11. pygdidalis, *Baly*, 2, 4, 7. robusta, Duviv., 16. rosea, Fabr., 2, 4, 9. rubrozonata, Blanch., 2, 4, 11. semilimbata, Baly, 4, 24. sexnotata, Chapuis, 19. similis, Oliv., 3, 5, 16, 17. simplicipennis, Clark, 21. smaragdipennis, Duv., 23. Stevensi, *Baly*, 3, 5, 22. testacea, *Fabr.*, 2, 3, 13. tetraspilota, Baly, 3, 4, 17. unicolor, Jac., 3, 23. varians, var. B?, Chapuis, 18. viridipennis, Chap., 23. Wallacii, *Baly*, 3, 5, 15. Wilsoni, Baly, 177, 188. Aulophorus, 100. vagus, *Leidy*, 95. Aves of Fernaudo Noronha, by Bowdler Sharpe, 477. Axinella, sp., 566, 568. Balanus hamiri, Asc., 456. Baly, J. S., Descriptions of a new Genus and of some new Species of Galerucinæ, also Diagnostic Notes on some of the older described species of Aulacophora, by J. S. Baly, 1. -, Descriptions of some Genera and Species of Galerucinæ, 156. Bargilis, 535. Bathyporeia pilosa, *Lindstr.*, 456. Bees, Ants, and Wasps, Observations on, by Sir John Lubbock, 118. Belonuchus formosus, Grav., 549. Bembicidæ, 531. Benham, W. B., Oligochæta of Fernando Noronha, 560. Bill-trout, ftnote, 71, 72. Biological terms, definition of (Gulick), 200.Birds and Mammals of Hudson's Bay Company's Territory, and of Arctic Coast of America, by Dr. J. Rae, 136.Blapstinus, 551. pulverulentus, Esch., 551. Ridleyi, Waterh., 551.

brasiliensis, Mayr, 537. obscura, Kirb., 531, 537. Blatta americana, Linn., 475, 532. incommoda, Kirb., 530, 533. orientalis Linn., 533. pacifica, Coquel., 533.

Blastophaga, 537.

Blatta poststriga, Walk., 532. Calappidæ, 111. Calcar Olfersi, Fischer, 493. surinamensis, Linn., 533. Calcarea, 568. Blattidæ, 530. Blenniidæ, 38. Callianassa subteranea, 45. Blenny, Common, 32. Callionymus lyra, Linn., 446. maculatus, Raf., 446. Viviparous, 41. Blowfly (Calliphora erythrocephala), Calliphora erythrocephala, 406, 418. Calliphoria vomitoria, 125. On the Structure of the Retina of Callisoma crenatum, Spence Bate, 456. the, by B. T. Lowne, 406. (Calliphora erythrocephala), On Calocaris Macandreæ, Bell, 45, 454, the Structure and Development of 469.Calycella fastigiata, Adler, 460. the Ovaries and their appendages in the, by B. T. Lowne, 418 Calyptræa alveolata, A. Adams, 492. Blue-winged goose, 138 Campanularia angulata, Hineks, 460. volubilis, Linn., 460. Bolina bivittata, Walk., 531, 544. Bolocera tuediæ, Johnst., 460. Camponotus æthiops, 121. bimaculatus, Šmith, 531, 538. Boreophausia inermis, Kröyer, 456. Raschi, M. Sars, 456, 469. ebeninus, Emery, 121. foveolatus, Mayr, 121. Botys detritalis, Guén., 546. lateralis, 121. flavidissimalis, Grote, 546. ligniperdus, 123. phæopteralis, Guén., 546. Canada goose, 137, 138, 139. Boulenger, G. A., Pisces of Fernando Noronha, 483. Cancer acanthus, M.-Edw., 511. arenarius, Catesby, 512. , Reptilia of Fernando Noronha, 481. corallinus, Herbst, 510. coronatus, Herbst, 510. Bousfield, E. C., The Natural History depressus, Fabr., 513. of the Genus Dero, 91. lobatus, Milne-Edw., 511. Brachelytra, 549. Brachiopoda, 452, 462, 464, 468, 471, pagurus, 45. planissimus, Herbst, 513. 472.squamosus, Herbst, 513. Brachyura, 109. Brissopsis lyrifera, Forbes, 45, 458, Cancridæ, 109, 510. 470. Cancroidea, 510. Candace, 149. Bruchida, 553. Bruchus porosus, Sharp, 553. brevicornis, Thomps., 142, 155. Buccinum pusio, Reeve, 486. nigrocineta, Thomps., 148, 155, undatum, Linn., 448, 466. pachydaetyla, Dana, 149. Buceros rhinoceros, 347. truncata, Dana, 148, 149. Canna Warscewiczi, 264. Bugula turbinata, Alder, 452. Caphyra Archeri, Walk., 110, 116, 117. Bulimus, 484. Caprimulgi, anatomy of certain (Dr. R. Jacobi, 501. W. Shufeldt), 338–352 Ramagei, 484. Caprimulgidæ, 299, 300, 306, 384. Ridleyi, 476. (Bulimulus) Ridleyi, Smith, 476, Caprimulgine birds, 299, 300, 306, 327, 336–389. 501, 503. Caprimulgine Cuckoos, 318, 338. (Tomigerus) Ramagei, Smith, 500, Caprimulgus, 322, 341, 342, 343, 345, 503. 346, 347, 349. Burra-tree, 478. europæus, 340, 344, 346. Byblis kallarthrus, Stebbing, 113. forcipatus, 340. longipennis, 340. Calanidæ, 147. psalurus, 340. Calanus finmarchicus, Günner, 146, 147, 148, 456. Carcinoplacidæ, 110. gracilis, Dana, 147. Cardium aculeatum, Linn., 450. echinatum, Linn., 450. pavo, Dana, 148. propinquus, Brady, 147. fasciatum, Mont., 450, 467. tonsus, Brady, 147. medium, Linn., 497, 503. valgus, Brady, 147. minimum, Phil., 450, 467. Calappa lophos, Herbst, var. y, subelongatum, Sowerb., 497. Haan, 111. Caridea, 518.

Caridion Gordoni, Spence Bate, 456. Chara, 82. Carnosa, 568. Characters of the Genus Lophopus, Carpilius, Desm., 510. with description of a new Species corallinus, Herbst, 510. from Australia, On the, by S. O. Carter, H. J., Porifera of Fernando Ridley, 61. Noronha, 564. Charidea, 157, 187. Cashewnut-tree, 478. fortunei, Baly, 158. Cassia, 474, 479. punctato-striata, Motsch., 157, 158, Catachrysops trifracta, Butl., 543. 187.Cathartes aura, Linn., ftnote, 315. Cheiloxena, 163. Cathartidæ, ftnote, 315. Cheirocratus assimilis, Lilljeb., 456. Catometopa, 110. Sundevalli, Rath., 456. Cellaria fistulosa, Linn., 452. Chelidon, 354, 361, 363, 364. Cellepora, 505. erythrogaster, 305, 361, 393. avicularis, Hincks, 452. Chilopoda, 526. pumicosa, Linn., 452. ramulosa, Linn., 452. Chilostomata, 280. Chirocerus, 32. Ridleyi, Kirkp., 504, 505, woodcut furcatus, Brullé, 32. 506. Chiton astriger, Reeve, 496. Celleporidæ, 505. Boogii, Haddon, 503. Cellulariidæ, 504. marginatus, Penn., 450, 467. Centronotus, 39, 40, 41, 42. pectinatus, Sowerb., 496. gunnellus, 39, 40, 41, 446.  $(\Lambda \text{canthochiton})$  astriger, Centropages brachiatus, 146, 150. 496.hamatus, Lillj., 456. (Ischnochiton) caribbæorum, Cartypicus, 146, 150. pent., 496, 503. violaceus, 150. (----) pectinatus, Sowerb., 496. Centropodinæ, 337. Chlorodius americanus, H. de Sauss., Cephalopoda, 465. Chondrilla nucula, *Sdt.*, 564, 565, 568. phyllodes, *Sdt.*, 565, 568, 569. Cerapus abditus, Templet., 456. Ceratina, 568. Ceratocarcinus dilatatus, A. M.-Edw., Chondropsis arenifera, Cart., 564, 565, 109. 566, 5<del>6</del>8. Ceratoplax ciliatus, Stimps., 110. Chordeiles, Anatomy of Antrostomus Cerithiopsis, sp., 503. compared with (Shufeldt), 343-352. Cerithium atratum, Born, 492. - and Antrostomus, on the Pterycaudatum, Sowerb., 492. graphical tracts of (Dr. R. W. Shufeldt), 339-343. Cerotoma, 156. Chordeiles, 322, 334, 335, 338, 339–352, 384. Chætogaster, ftnote, 99. Chætognatha, 437. Chætura, 363, 364, 366, 368, 371, acutipennis, var. texensis, 372, 376, 380, 383, 384, 390. 335. pelagica, 302, 365, 370, 371, 372, 373, 375, 377, 378, 383, 390, texensis, 302, 335, 339, 341, 344, 346, 350. —, var. Henryi, 346. 394. Vauxi, 383. virginianus, 302, 385. Subfamily Eucharinæ; —, var. Henryi, 302. Chalcididæ, with descriptions of several new Chordeilinæ, 384. Genera and Species of Chalcididæ Chorioptes, 404. and Tenthredinidæ, A Synopsis of the Genera of, by W. F. Kirby, 28. Chrysodomus antiquus, Linn., 448, Chalcididæ, 28, 35, 531. Chrysomelidæ, 156. Cicada septemdecim, 227, 228. Chalcidinæ, 35. tredecim, Riley, 228. Chalcis amenocles, Walk., 36. Kassalensis, W. F. Kirb., 36, 37. Cidaridæ, 58. restituta, Walk., 36. Chalcura, W. F. Kirb., 30, 33. Cidaris, 58. tribuloides, Lamk., 559. Ciona intestinalis, Linn., 448, 466. Cirolana hirtipes, M.-Edw., 456, 469. deprivata, Walk., 30, 37. Chalina, sp., 460, 564, 565, 568.

Clamatores, 301, 310, 316.

Chama, sp., 498.

Clavagella aperta, 400. minima, G: B. Sowerb., 400. Clibanarius vulgaris, Herbst, 112. Clinus delalandii, C. & V., 483. nuchipinnis, Q. & G., 483. Clivicola riparia, 305, 362. Clupea humeralis, C, & I., 483. Clypeastroids, 59. Cnesinus, Horn, 554. Coccus Persica, 435. Coceyzus americanus, 333. minor may be Geococcyx, 388. Cochlostyla (Axina) Gloynei, G. B. Sowerb., 398, 400. Cœleuterata, 460, 462, 464. Cœligena elemenciæ, 303. Coelophyma granulata, Hagen., 276. striata, Reuss, 276. Cœlopleurus, 53, 58. Conobita perlata, M.-Edw., 112. Colcoptera of Fernando Noronha, by Chas. O. Waterhouse, 548. Colour-sense of Ants, On the (Sir J. Lubbock), 122. Columbella, 489. mercatoria, Linn., 486, 503. Columbidæ, 479. Compound Eyes and Ocelli in Ants, Bees, and Wasps, On the function of the (Lubbock), 125. Conchecetes conchifera, Hasw., 108, 111. Conger vulgaris, Cuv., 448. Conilera cylindracea, 456, Mont., 469. Conocephalus triops, Linn., 534. vernalis, Kirb., 530, 534. —, var. n. frater, Kirb., 539, 534. Conus archetypus, Crosse 485. castus, Reeve, 485. daucus, Hwass, 485. erythræensis, Beck, 485. imperialis, 485. lividus, 485. mammillaris, Green, 485. nebulosus, Sol., 484. piperatus, Dillwyn, 485. rattus, 485. Recvei, Kiener, 485. sanguiuolentus, Reeve, 485. Copepoda of Madeira and the Canary Islands, with Descriptions of New Genera and Species, by I. C. Thompson, 145. Copepoda, 47, 145-155, 444. Copidita, sp., 553. Copilia mirabilis, Dana, 153. Coracina cephaloptera, 368,

Corbula gibba, Olivi, 452, 467.

448, 466. Corvidæ, 310. Corycwidæ, 147, 153. Coryeaus, 153. limbatus, Brady, 153. pellucidus, Dana, 153. speciosus, Dana, 153. varius, Dana, 153. venustus, Dana, 153. Corystes cassivelaunus, 45. Cottus bubalis, Euphr., 446. Lilljeborgii, *Collett*, 446. scorpius, Linn., 446. Crassatella, 399, japonica, G. B. Sowerb., 399, 400. Crambi, 531. Crangon, 45. Allmani, Kinahan, 454, 469. bispinosus, 45. echinulatus, M. Sars, 454, 469. spinosus, Leuch, 454. trispinosus, 45. vulgaris, 45. Cremastogaster lateralis, 121. scutellaris, 121. Cribrella oculata, Linck, 458, 470. Cribrilina radiata, Moll, 504. Crinoid, 45. Orisia donticulata, Lamk., 454. eburnea, Linn., var. aculcata, 454. -, var. producta, 454. Holdsworthii, Busk, 504. Cristatella, 62. Crossaster papposus, Linck, 458. Crotalaria, 477. Crotophaga, 338. Crustacea of Fernando Noronha, R. I. Pocock, 506. - from Singapore, Notes on a Collection of, by A. O. Walker, 107. Crustacea, 45, 107-117, 438, 445, 454, 462, 464, 465, 468, 471, 472. —, Sessile-eyed, 46, 74, 83. —, Stalk-eyed, 45. Crustaceans, Sessile eyed, 46, 74, 83. Cryptodon croulinensis, Jeffr., 450, ferruginosus, Forbes, 450, 467. flexuosus, Mont., 450, 467. Cryptopodia fornicata, Fabr., 109. Cuckoos, 333, 337, 338. Cuculidae, 337. Cuculinæ, 333, 337, 353. Cuculus canorus, 337. Cucumaria Hyndmanni, Thomps., 458, 470. Cucurbitaceæ, 474, 478, 479. Cupularia, 280.

Corella parallelogramma, O. F. Müll.,

Cuspidaria abbreviata, Forbes, 452, 468. cuspidata, Olivi, 452. Cyclometopa, 109. Cyclopidæ, 147, 151. Cyclostomata, 275, 277, 278. Cyclostomatous Bryozoa, On some Ovicells of, by A. W. Waters, 275. Cylichna noronyensis, Watson, 503. Cylindræeium dilatatum, Hincks, 454. Cymbasoma, Thomps., 154. Herdmani, Thomps., 155. rigidum, Thomps., 154, 156. Cynipidæ, 28. Cynips adscendens, Fabr., 28. Cynorta, Baly, 161. apicipennis, Baly, 162, 187. facialis, *Baly*, 162, 187. oeellata, Baly, 161, 187. Cynthia echinata, Linn., 448, 466. Cyperus, 106. Cypræa cinerea, Gmel., var., 490. clara, Gaskoin, 490. (Trivia) pediculus, Linn., 490. Cyprina islandica, Linn., 450, 467. Cypseli and Trochili, Morphology of certain (Shufeldt), 365-387. ——, anatomy of the head, 375— ----, anatomy of pelvie limb, 373-— —, axial skeleton, 377–379. —, comparison of pectoral limbs, 369-373. — , external form and pterylography, 365-369. — —, heart and earotids, traehea, viseera, &e., 380-383. Cypselida, 299, 300. Cypseloides niger and Nyctidromus albicollis, var. Merrilli, Notes on (Dr. R. W. Shufeldt), 383. Cypseloides, 383, 384. crythrogaster, 384. niger, 300, 383, 384. Cypselus, 353-391. alpinus, 374. apus, 355, 366, 368. erythrogaster, 384. Cyrtosoma, 552. Cythere, Baird, 47. minna, Baird, 47. pellucida, Baird, 47.

Daeelo, 337. gigantea, 337, 388. Daeeloninæ, 388. Daetylopterus volitans, *Linn.*, 483. Daetylopus tisboides, *Brady*, 47. tisboides, *Clans*, 152. Daetylosternum abdominale, *Fabr.*, 549. Daphnia, 122. Day, F., On the Loeh-Leven Trout (Salmo levenensis), 71. Decapoda, 507. Deep-Water Fauna of the Clyde Seaarea, On the, by W. E. Hoyle, 442. Defrancia, 281. diadema, Gold., 284. disticha, Hagenow, 284. reticulata, Hagenow, 284. Delavalia robusta, Brady & Roberts, Dendronotus arborescens, Müll., 448. Dentalium entale, 46. entalis, Linn., 450, 467. Dermacarus, Haller, 287. Dermestes felinus, Fabr., 549. Dero. The Natural History of the Genus, by E. C. Bousfield, 91. Dero, Oken, 91-107. acuta, Bousf., 103, 105. digitata, 95, 96, 103. furcata, Oken, 92, 93, 95, finote 97, 102, 103, 105, 107. latissima, Bousf., 101, 102, 103, 104, 107. limosa, Leidy, 95, 103, 105, 107. Mülleri, Bousf., 101, 104, 107. obtusa, Perrier, 95, 103, 104, 105, palpigera, Grebincky, 95, 105. Perrieri, Bousf., 95, 103, 104, 107. philippinensis, Semper, 95, 105. Rodriguezii, Semper, 95, 105. Descriptions of some Genera and Speeies of Galerucinæ, by J. S. Baly, 156. Deviation from an average (Gulick), 193.Diaeantha, 168. Diachæta, Benham, 561. Diadema, 58. saxatile, Linn., 560. Dias longiremis, *Lilljeb.*, 146, 149, 456. Diastopora lineata, Maeg., 284. obelia, Johnst., 454. Diastylus, 45, 47. Dieæum, 353. Dieoryne eonferta, Alder, 460. Dierurus, 357. Dinarda, 120, 121. dentata, 120. Diogenes avarus, var., Heller, 112, 113, 117.granulatus, Miers, 113. miles, Fabr., 112. Diosaecus tenuicornis, Claus, 152. Diphasia attenuata, Hincks, 460. fallax, Johnst., 460. pinaster, Ell. & Sol., 460. tamarisca Ell. & Sol., 460.

of Discoidea cylindrica, Lamk., sp., Diplopoda, 528. 48, Diploptera, 531. Diptera, 532. Ebalia tuberosa, Penn., 454, 468. Direction in Ants, Bees, and Wasps Echinidæ, 51, 58. (Lubbock), 127. Discocavea, 281. Echinocardium cordatum, 45. Discoidea cylindrica, Lamk. sp., On the Anatomy of the Perignathic flavescens, O. F. Müll., 458, 470. Echinocyamus pusillus, 45. Girdle and of other Parts of the Test Echinodermata, 458, 462, 464, 466, 470, 471, 472, 559. of, by Prof. P. M. Duncan and W. Percy Sladen, 48. Echinodermata of Fernando Noronha, 559.Discoidea, 48-61. conica, 54, 55, 60, Echinoidea, 45, 48, 57. eylindrica, Lamk., 48-61, Echinonemata, 568. Dixoni, 60. Echinoneus, 55. Echinus, 58. Favrina, 60. esculentus, Linn., 458, 470. Forgemolli, 60. miliaris, P. L. S. Müll., 458. infera, 60. Jullieni, 60. Ectinosoma atlanticum, Br. & Rob., minima, 60. 456, subuculus, 60, 61. Edora, 47. Egeria longipes, Herbst, 109. Discoporella, 280. californica, Busk, 282. Elainea pagana, 478. echinata, Macg., 282. Ridleyana, Sharpe, 478. Holdsworthii, Busk, 285. Eledone cirrosa, Lamk., 448. reticulata, Macg., 284. Elimæa, 535. Discotubigera, 284. Emarginula crassa, Sowerb., 448. lineata, Macg., 284, 285. reticulata, Sowerb., 450. Disporella, Gray, 280. Entalophora intricaria, Busk, 278, 281. Entomophaga, 531. Divergence, cumulative, through cumulative segregation (Gulick), Entomostraca, 47. Ephemeridæ, 83. Divergent Evolution through Cumu-Epimeria cornigera, J. C. Fabr., 456. Epitragus Batesii, Mäklin, 550, 551. lative Segregation, by Rev. J. T. Epuræa limbata, 549. Gulick, 189. Doclea muricata, Herbst, 109. Eremophila alpestris, ftnote, 309. ovis, *Herbst*, 109. tetraptera, *Walk.*, 109, 114, 117. Erinaceus curopæus (Hedgehog), 404. Symbiotes tripilis, Mich., parasitic on, 404. Dogs, Experiments on the Sense of Smell in, by G. J. Romanes, 65. Eriphia lævimana, Latr., var. Smithii, M'Leay, 110. Dolichopodidæ, 532, Donatia lyncurium, 566, 568. Eriphiidæ, 110. Ervilia subcancellata, Smith, 503. Donax anatinus, 46. Dorippe astuta, Fabr., 108, 111. Erythrina-tree, 478. sima, M.-Edw., 108, 111. Escharella rostrigera, Smitt, 504. Dorippidæ, 111. Eucalanus attenuatus, Dana, 148. Doris, sp., 497. setiger, Brady, 148. Euchæta norvegica, Boeck, 456. Dosinia exoleta, Linn., 450. prestandreæ, Philippi, 148. lineta, Pult., 450. Eucharinæ, List and Dotilla myctiroides, M.-Edw., 111. Synopsis Genera of, 28, 33, 37.
Eucharis, Latr., 28, 33.
contingens, Walk., 37.
deprivata, Walk., 30. Dragonflies, 475. Drepanopus furcatus, Brady, 149. Dromia Rumphii, ? Fabr., 111. vulgaris, M.-Edw., 111. Dromiidea, 111. festiva, Fabr., 29. furcata, Fabr., 32. Duncan, Prof. P. M., Madreporaria of Iello, Walk., 29, Fernando Noronha, 569. -, and W. Percy Sladen, On the Kollari, Forst., 28.

rapo, Walk., 29.

volusus, Walk., 31,

Anatomy of the Perignathic Girdle

and of other Parts of the Test

Eucharis zalates, Walk., 30. Eucharissa, 37. Eucharissinæ, 37. Eudora truncatula, 45. Eumenia Jeffreysi, McInt., 458, 469. Eupagurus bernhardus, Linn., 454, 468. excavatus, Miers, 454. Prideauxii, Leach, 454, 469. pubescens, Kröyer, 454, 469. Eurynome aspera, Penn, 454, 468. Euspongia, 564, 565, 566, 568. Euterpe gracilis, Claus, 151. Euthyrrapha pacifica, Coqueb., 530, 533. Eutrochus, 494. Adamsi, Pilsbury, 494. perspectivus, A. Adams, 491. Evadne Nordmanni, Lov., 456. Evania, 475. lavigata, Latr., 531, 538. Evaniidæ, 531. Evolution, Divergent, not explained by Natural Selection (Gulick), 202-212. Experiments on the Sense of Smell in Dogs, by G. J Romanes, 65. Eyes and Ocelli in Ants, Bees, and Wasps, On the Function of the Compound (Lubbock), 125. Fauna of the Clyde Sea-Area, On the Deep-Water, by W. E. Hoyle, 442. Favia ananas, Lamk., 570. conferta, Verrill, 569. deformata, Ed. & H., 570. Fernando Noronha, Notes on the Zoology of, by H. N. Ridley, 473-570. Field-vole (Arvicola agrestis), Goniomerus musculinus, Mich., 406, and Myocoptes tenax, Mich., parasitic on 403. Filigrana implexa, Berk., 458, 469. Filisparsa orakeiensis, Stol., 279, 280. Fissurella ægis, Reeve, 494. alternata, Say, 494. barbadensis, Gmelin, 495. cancellata, Sowerb., 494. Dysoni, Reeve, 494. larva, Reeve, 494. lentiginosa, Reeve, 494. nubecula, Linn., 495. suffusa, Reeve, 494. Flustra, 44. foliacea, Linn., 452. securifrons, Pallas, 452. Foreinella Antoni, Dohru, 532.

janeirensis, Dohrn, 532.

Forfieula riparia, Pall., 532.

Forficulidæ, 530. Formica, 120.

congerens, 120. exsecta, 121. fusca, 118, 119, 121, 132, 133, 134. gagatus, 121. pratensis, 128. pressilabris, 121. rufa, 120, 121, 126. rufibarbis, 121. ruficeps, Fabr., 538. sanguinea, 118–121, 128. relation between, and its slaves, 118. Formicidæ, 531. Fossarus ambiguus, Linn., 503. Fossores, 531. Fredericella sultana, 64. Freshwater Polyzoa (Ridley), 61, 64. Fusus (Sipho) gracilis, DaC., 448, 466. Gadus æglefinus, Linn., 446. Esmarkii, Nilss., 446. luscus, Linn., 446. merlangus, Linn., 446. minutus, Linn., 446. morrhua, Linn., 446. Galathea Andrewsi, 45. dispersa, Spence Bate, 45, 454, elegans, Adams & White, 112. nexa, Embleton, 454, 469. squamifera, *Leach*, 45, 454, 469. Galatheidæ, 112. Galbulidæ, 388. Galearia, Brullé, 32. violacea, Brullé, 32. Galene bispinosus, Herbst, 110. Galerites cylindricus, Lamk., 48. Galeruca, 156, 157. analis, Oliv., 184. Buquetii, Guér., 170. luteicornis, Fabr., 21. melanoptera, Boisd., 7. multicostata, Jacoby, 157. Galerucella, 157, 186. Galerucinæ, On some Species of, by J. S. Baly, 1; table of spec., 2. -, Descriptions of some Genera and Species of, by J. S. Baly, 156. Galerucinæ, 156, 163. Gammarus, 74, 475. locusta, Linn., 456. pulex, 83. Ganosoma attenuatum, Mayr, 538. dispar, Kirb., 531, 537. Gasteropoda, 503. Gebia, *Leach*, 515. spinigera, S. I. Smith, 515. Gebiidæ, 112, 515.

Formica bimaculata, Smith, 538.

Gebiopsis Darwinii, Miers, 112. Gecko, 474, 475, 481. Gelasimus vocans, Linn., 110. Generation, Independent, Effects Selection and (Gulick), 202-212. Geococcyx, 325, 334, 336, 337, 344, californianus, 300, 325, 333, 335, 337, 338, 388. Geodia, 564, 566, 567, 568. tumulosa, Bk., 564. Geometres, 531. Geophilus, 526. occidentalis, Meinert, 527. Ridleyi, Pocock, 526. Glaucidium, 323. Glyciphagus, 285–298. Crameri, Michael, 287. cursor, Gervais, 288, 295, 296. domesticus, de Geer, 285, 287, 288, 289, 290, 291, 293, 294, 295, 296, 298 spinipes, Koch, 285, 287, 288, 289, 292, 293, 294, 295, 296, 297, Glyphidodon saxatilis, Linn., 483. Gnathostomes, 58. Gobiesox cephalus, Lacép., 483. Gobius Jeffreysii, Günther, 446. minutus, Gm., 446. soporator, C. & V., 483. Gonatonotus pentagonus, Adams White, 109. Goniastræa, 570. Goniomerus, Mich., 401, 405. musculinus, Mich., 405, 406; paraon field-vole (Arvicola sitic agrestis), 406. Goniosoma crucifera, Fabr., 110. inæquale, Walk., 110, 116, 117. natator, Herbst, 110. Gonodactylus, Latr., 526. chiragra, Fabr., 113, 506, 526. Gonolobus micranthus, 478. Gorgonia axis, 504. Gorgoniæ, 397. Grantia ciliata, Flem., 460. Grapsidæ, 110, 512. Grapsoidea, 512. Grapsus, Lamk., 512, 513. maculatus, Catesby, 506, 512. strigosus, Latr., 110. Grey trout, 71 finote, 72. Gryllidæ, 530. Gryllodes, 534. Gryllus assimilis, Fabr., 530, 533. forticeps, Sauss., 530, 533. Gulick, Rev. J. Thos., Divergent Evolution through Cumulative Segregation, 189.

Gumminia, 568. Gygis candida, Gm., 480. Hæmulon chrysargyreum, Günther, 483. Halceium Beanii, Johnst., 460. halecinum, Linn., 460. muricatum, Ell. & Sol., 460. Halictus, 474, 543 alternipes, *Kirb.*, 531, 542. atripyga, Kirb., 531, 543. lævipyga, Kirb., 531, 542, 543. Halticella liberator, Walk., 35. Haploops sctosa, Boeck, 456. tubicola, Lillj., 456. Haplosonyx, 156. sumatræ, 161. Harpacticidæ, 147, 151. Harpacticus chelifer, Müller, 152. Harpinia plumosa, Kröy., 456. Harporhynchus rufus, 315. Hedgehog (Erinaceus europæus), Sym biotes tripilis, Mich., parasitic on, 404.Heliothis armiger, Hübn., 531, 544. Helix entodonta, Pfeiffer, 500. (Ophiogyra?) quinquelirata, Smith, 500, 503. Hemidactylus mabouia, Mor., 475, 481. Hemidianeura Cameroni, W. F. Kirb., 34, 37.Hemiprogne, 390. zonaris, 301. zonatus, 392. Hemiptera, 532. Hemirhamphus unifasciatus, Ranz., 483.Herœus percultus, Dist., 547. variegatus, Kirb., 532, 547. Heredity (Gulick), 192. Hero, self-fertilized plant of Ipomaa purpurea (Darwin & Gulick), 264. Hero, 264, 265, 266. Hesperocichla, 309-314. nævia, 312, 314, 392. Hetærius ferrugineus, 120. Heterocera, 531. Heterogyna, 531. Heteromera, 550. Heteroplax dentatus, Stimps., 110. Heteropora, 278. cervicornis, D'Orb., 281. Heteroptera, 532 Hexactinellida, 568. Hippa scutellata, Fabr., 506, 515. Hippasteria plana, 45. Hippidæ, 515. Hippidea, 515. Hippoglossoides limandoides, Bl., 446.

platessoides, Fabr., 446.

Hippolyte, 465. Gaimardi, M.-Edw., 454. pusiola, Kröy., 454. securifrons, Norman, 454. spinus, Sow., 45, 454. Hippomedon Holbölli, Kröy., 456. Hipponyx antiquatus, Linn., 492. Grayanus, var., Menke, 493. radiatus, Quoy & Gaimard, 493. Hippothoa carinata, Norman, 452. Hireinia, 564, 565, 566, 568. Hirundinidæ, 306, 318, 352–364, 378, 384, 387-391. Hirundinidæ, Anatomy of the North American (Dr. R. W. Shufeldt), 352--, Osteology of the (Dr. R. W. Shufeldt), 358. Hirundo, 352, 353, 361. rupestris, 353. rustica, 353. urbica, 352, 353, 366, 368. Histeridæ, 120. Holectypus, 59. Holocentrum longipinne, C. & V., 483. Holorhaphidota, 568. Holothuria intestinalis, Asc. & Rath., 458, 470.Hornera, 275, 276, 278, 288. concatennata, Reuss, 275, 278. fissurata, Busk, 275, 276, 278, 280. foliacea, *Macg.*, 276. frondiculata, *Lamk.*, 276, 278. galeata, Smitt, 276. hippolyta, Defr., 276. lichenoides, Linn., 276, 278. ramosa, Macg., 276. robusta, Macg., 276. scrrata, Reuss, 278. subdubia, Goldst., 276. violacea, Sars, 276. Hoyle, W. E., On the Dcep-water Fauna of the Clyde Sea-area, 442. Human races, segregate vigour and segregate fecundity between (Gulick), 267 - 269.Hyalinœcia tubicola, O. F. Müll., 458, 469.Hyas arancus, Linn., 454, 468. coarctatus, Leach, 454, 468. Hyastenus diacanthus, De Haan, 109. oryx, A. M.-Edw., 109. planasius, Adams & White, 109. Hydra, ftnote, 101. Hydractinia echinata, Flem., 460. Hydrallmania falcata, Linn., 460. Hydrocorallina, 276.

Hydroid Zoophyte, 565. Hydroida, 465.

Hydrophilus, 432.

Hydrophylidæ, 432, 433, 438. Hydrozoa, 462. Hylotominæ, 34. Hymenia perspectalis, Hübn., 531, 545. Hymeniacidon sanguinea, Bk., 566, 568.Hymenoptera, 474, 531. Hypera alba, 46. Hypopus, 286, 287, 292–298. Hyporrhagus marginatus, Fabr., 550. Iache latirostris, 304. Ianthina fragilis, *Lamk.*, 492. Iapyx Saussurii, *Humb.*, 556, 557. solifuga, Halliday, 557. -, var. Wollastoni, 557. Ichneumon cynipiformis, Rossi. 31. Icteridæ, 310. Idmonea, 276, 278. atlantica, Forbes, 276. concava, Reuss, 276. eboracensis, Busk, 276. fissurata, Busk, 275. gracillima, Busk, 276. irregularis, Meneghini, 279. lichenoides, Goldf., 276. Meneghini, *Heller*, 278, 279, 280. Milneana, *D'Orb.*, 279, 280. notomala, *Busk*, 279. radians, *Lamk*., 276, 278. radicata, Kirkp., 276. serpens, Linn., 276, 454. Idotca, 47. parallela, Bate & Westw., 47, 456, 469.Idya furcata, Baird, 152. Inachus dorsettensis, Penn., 454, 468. dorynchus, Leach, 454. Insecta, excepting Coleoptera, of Fernando Noronha (W. F. Kirby), 530. Iophon Pattersoni, Bowerb., 460. Ipomœa purpurea, 264; Darwin Sclf-fertilized Generations (Gulick), 264. tuba, 467. Ischnoptera lucida, Walk., 530, 532. Isias clavipes, Boeck, 150. Isocardia cor, Linn., 450, 467. Isopoda, 46, 113. Jacquinia, 546. Janira maculosa, Leach, 456, 469. Julis lucasana, 483.

noronhana, Boul., 483. Kapala, Camer., 32, 33. furcata, Camer., 32, 33. Kirby, W. F., A Synopsis of the Genera of Chalcididæ, Subfamily Eucharina, with descriptions

582 INDEX.

Leucosia craniolaris, Linn., 111.

hæmatosticta, Adams & White, 111.

several new Genera and Species of Leucosia marmorea, Bell, 111. Chalcididæ and Tenthredinidæ, 28. Whitei, Bell, 111. Kirby, W. F., Insecta, excepting Coleo-Leucosiidæ, 111. ptera, of Fernando Noronha, 530. Leucothoë spinicarpa, Abild., 456. Kirkpatrick, R., Polyzoa of Fernando Leucozonia cingulifera, Lamk., 487. leucozonalis, Lamk., 487. Noronha, 504. ocellata, Gmelin, 488. rudis, *Reeve*, 487. *Libellula basalis*, Burm., 537. Labidophorus talpæ, Kramer, ftnote, flavescens, Fabr., 537. Labidura riparia, Pall., 530, 532. Libellulidæ, 531. Lafoëa dumosa, Flem., 460. Lichenopora, 278, 280, 281, 282, 284. fruticosa, Sars, 460. bullata, Macg., 281. Lambrus laciniatus, De Haan, 109. californica, Busk, 282, 285. longimanus, Leach, 109. longispinus, Miers, 109. ciliata, Busk, 283. echinata, Macg., 281, 282, 283, prensor, Herbst, 109. Lamellibranchiata, 503. 285.Lamellicornia, 549. fimbriata, 282. Lanius, 312, 316, 317. grignonensis, Busk, 282, 283, 284. ludovicianus excubitorides, ftnote, hispida, Flem., 454. 313. , var. mæandrina, Peach, 454. Holdsworthii, Busk, 281, 282, 285. novæ-zelandiæ, Busk, 282. Laophonte curticaudata, Boeck, 152. serrata, Claus, 152. pristis, *Macg.*, 281, 283. radiata, *Aud.*, 281, 282. Laridæ, 479. Larridæ, 531. reticulata, Macg., 281, 284. Lasius flavus, 118. verrucaria, O. Fabr., 454. niger, 118, 121, 127, 131, 132, 133, victoriensis, Waters, 284, 285. 134, 136. Latirus brevicauda, Reeve, 483. wanganuiensis, Waters, 282. Lichenoporæ, On the Ovicells of some, concentricus, Reeve, 488. gracilis, Reeve, 488. by A. W. Waters, 280, 282, 283. Ligyrocoris balteatus, Stal, 532, 547. spadiceus, Reeve, 488. Leda minuta, Müll., 450, 467. bipunctatus, Kirb., 532, 547. —, f. brevirostris, Jeffr., 450. Lima elliptica, Jeffr., 450, 467. Leguminosæ, 474, 479. Leiolophus, *Miers*, 513. multicostata, 499. squamosa, var., Lamk., 499. planissimus, *Herbst*, 506, 513. Lepidoptera of Fernando Noronha Limnæa, 74, 83. ovata, var. peregra, 83. (Kirby), 531. Lineus, 437. Lepisma, 557, 558. Liparis liparis, Linu., 446. Lirata, Camer., 33. corticola, Ridley, 558. luteogaster, Camer., 33. Leai, Ridley, 557. saccharina, 558. Liripora lineata, Macg., 284. Lepralia cleidostoma, Smitt, 504. Lithodes maia, *Linn.*, 45, 454, 468. depressa, Busk, 504. Littorina angulifera, Lamk., 491. Leptodius, A. Milne-Edw., 511. nodulosa, D'Orb., 491, 503. americanus, Saussure, 511. trochiformis, var., Smith, 491, 503. Leptoplana tremellaris, O. F. Müll., Loch-Leven Trout (Salmo levenonsis), On the, by F. Day, 71. 458, 469. Leptoxena, 186, 188. Locustidæ, 530. eximea, Baly, 186, 188. Lomechusa, 120. strumosa, 120. Lepus americanus, 141. Longevity of Ants, Bees, and Wasps (Lubbock), 133. glacialis, 144. Leuckartia flavicornis, Claus, 148. Leuconia sacculata, Carter, 566, 568, Longicornia, 555. Longipedia coronata, Claus, 151. 569.Leucophæa surinamensis. Linn., 530, Lophactæa, A. M.-Edw., 511. lobata, Milne-Edw., 511. 533.

Lophius piscatorius, Linn., 446.

Lophopus, 61-64.

Lophopus crystallinus, 63. Lendenfeldi, Riley, 62, 64. Lophozozymus epheliticus, Linn., 109. Lophyrocera, Camer., 32, 33. nigromaculata, Camer., 32. stramineipes, Camer., 32. Lottia onychina, Gould, 495.

Lowne, B. T., On the Structure of the Retina of the Blowfly (Calliphora

erythrocephala), 406.

, On the Structure and Development of the Ovaries and their Appendages in the Blowfly (Calliphora erythrocephala), 418.

Lubbock, Sir John, Observations on Ants, Bees, and Wasps, Part XI.,118. Lubbockia squillimana, Claus, 153.

Lucilia cæsar, 125.

Lucina pecten, Lamk., 503.

Luidia Savignyi, 45.

Lumbricus terrestris, 561.

Lumpenus lampetriformis on the north coast of Scotland, occurrence of, by Geo. Sim, 38.

Lumpenus, 38-48.

lampetriformis, 38, 39, 41, 48.

Luperodes, ftnote, 163. alboplagiatus, 163. discrepens, ftnote, 163. præustus, ftnote, 163. Lycænidæ, 531.

Lygæidæ, 532.

Lygæus anticus, Walk., 546. rufoculis, Kirb., 532, 546. Lysianax tumida, Kröy., 456.

Mabuia punctata, Gray, 481. Machairopus, Thomps., 152. sanctæ-crucis, Thomps., 152, 155. Machilis, sp., 558, 559.

Macrochires, Studies of the, by Dr. R. W. Shufeldt, 299–394.

Macrophthalmidæ, 110.

Macrophya corallipes, Eversm., 34. femoralis, Eversm., 34. Saundersi, W. F. Kirb., 34, 37. Macrura, 112.

Macrurous Crustacea, 465.

Mactra elliptica, Brown, 450, 467. solida, 46.

stultorum, 46. Madreporaria of Fernando Noronha, by Prof. P. M. Duncan, 569.

Madreporaria aporosa, 569. fungida, 570.

Mæandrina, 570. Mæra longimana, Leach, 456. Loveni, Bruz., 456.

Maia Miersii, Walk., 109, 113, 117.

Maiidæ, 109.

Maioidea, 507.

Malacodermata, 550.

Mammalia of Fernando Noronha, 476. Mammals and Birds of Hudson's Bay Company's Territory, and of Arctic Coast of America, by Dr. J. Rae, 136. Margaronia jairusalis, *Walk.*, 531, 545.

Marginella fluctuata, C. B. Adams, 403. sagittata, Hinds, 489.

Marimboudo, 541.

Mastigophora Dutertrei, Audouin, 504. Matuta Banksii, Leach, 111.

lunaris, Herbst, 111. victrix, Fabr., 111.

Matutidæ, 111.

Mbebu, name of Sula leucogastra, in Fernando Noronha, 480.

Mecynocera, Thomps., 150. Clausi, Thomps., 150, 155.

Melampyrum pratense, Ants and Seeds of (Lubbock), 133.

Melitodes, 397.

ochracea, 397.

Mella zinckenella, Treitschke, 531, 546. Melobesia, 565, 566.

Melophagus ovinus, 434.

Membranipora catenularia, Jameson, 452. Flemingi, Busk, 452. pilosa, Linn., 452.

Menippus, 157.

Merluccius merluccius, Linn., 446. Meroncidius indistinctus, Walk., 536. viridinervis, Kirb., 530, 536.

Merula, 309, 310. Mesomyodian birds, 387, 388.

Metagea, W. F. Kirb., 30, 33. zalates, Walk., 30.

Metopograpsus messor, 113.

Michael, A. D., Researches into the Life-histories of Glyciphagus domesticus and G. spinipes, 285.

-, On some Unrecorded Parasitic Acari found in Great Britain, 400.

Micippa curtispina, Hasw., 109. mascarenica, Kossm., 109. Microphrys, M.-Edw., 507.

bicornutus, Latr., 507.

Microporella ciliata, Pall., 452. impressa, Aud., 452.

violacea, Johnst., 504. Micropus, 362-384.

melanoleucus, 303, 365, 377, 380-383, 390, 393, 394.

Microvelia vagans, White, 548. Migration of Organism (Gulick), 193.

Mimicry among Auts (Lubbock), 121. Mithraculus coronatus, A. Milne-Edw., 510.

Mithrax, Leach, 507. verrucosus, M.-Edw., 507.

Mucronella ventricosa, Hass., 452, 454. (Mithraculus) coronatus, Mithrax Multitubigera, 280. Herbst, 510. Munida rugosa, Fabr., 454, 469. (Teleophrys) cristulipes, Stimps., Munna whiteana, Spence Bate & Westw., 508.Mitra, 489. Adamsi, Dohrn, 489. Muræna catenata, Bl., 483. ansulata, Sowerb., 488, 489. pavonina, Rich., 483. barbadensis, Gmelin, 488. vicina, Cast., 483. Murex erosus, Broderip, 486. caffra, 396. cavea, Reeve; 489. obeliscus, A. Adams, 486. consanguinea, Reeve, 489. pauperculus, C. B. Adams, 486. dermestina, Lamk., 489. (Ocinebra) alveatus, Kiener, 486. formosensis, G. B. Sowerb., 395, erosus, Broderip, 486. 400. ---) obeliscus, A. Adams, 486. histrio, Reeve, 489. -) pauperculus, C. B. Adams, leucodesma, Reeve, 488, 489. 486. microzonias, Reeve, 488. Mus musculus, 476. rattus, 474, 476, 477. Musca, 408, 437, 438. pardalis, Küster, 489. picta, Reeve, 488. pisolina, Lamk., 489. domestica, 439. pulchella, Reeve, 489. vomitoria, 408, 420. recurva, G. B. Sowerb., 396, 400. Muscidæ, 532. Muscles, pectoral, of Antrostomus and Smithi, G. B. Sowerb., 396, 400. Chordeiles (Dr. R. W. Shufeldt), 345. tessellata, Kiener, 488. (Pusia) ansulata, Sowerb., 488. Musk-rat, 142. Mitrularia alveolata, A. Adams, 492. Mutilla, 35. nncinata, Reeve, 492, 503. Mya truncata, Linn., 450. Modiola barbata, Linn., 450, 467. Myocoptes, 400. modiolus, Linn., 450. musculinus, 400, 401, 402, 403. Modiolaria marmorata, Forbes, 450. tenax, Mich., 400, 401, 406. Mollia antiqua, Smitt, 504. parasitic on field-vole (Arvicola Mollusca, 46, 448, 462–476. Mollusca of Fernando Noronha, by agrestis), 403. Myodes hudsonicus, 143. E. A. Smith, 483. Myra affinis, Bell, 111. australis, Hasw., 111. Mollusks, terrestrial, of Sandwich carinata, Bell, 111.
Myriopoda of Fernando Noronha, by Islands (Gulick), 189. -, diversity of species not caused by differences in cuvironment, nor proba-R. I. Pocock, 526. Myrmedoniæ, 121. bly to sexual selection (Gulick), 189. Molva molva, Linn., 446. Myrmica, 119. Momordica charantia, 474. lævinodis, 119. Momotus Lessoni, 347. rubra, 120. Monedula signata, Linn., 474, 531, 540. Mysidæ, 45. Monoculodes longimanus, Spence Bate & Mysidopsis didelphys, Norman, 456. Westw., 456. Mysis neglecta, G. O. Sars, 456. Mytilus exustus (Lamk.), Reeve, 499, Stimpsoni, Spence Bate, 456. Monolepta, Erichs., 156, 163, 164, 178. 503. Cumingii, Baly, 165, 167, 187. foveicollis, Baly, 165, 167, 188. Myxilla incrustans, Johnst., 460. hæmorrhoidalis, Fabr., 164, 167, Naïdidæ, 94. Nais, 92, 93, 97, 98. 187. auricularis, 94, 101. pauperata, 163. terminata, Guér., 166, 167, 188. barbata, 94. verticalis, Baly, 167, 188. Wallacei, Baly, 166, 167, 188. decapoda, 93. digitata, Müller, 92, 93, 94, 103. Morphology of Ampelis cedrorum (Dr. quadricuspida, 94. R. W. Shufeldt), 306-318. Nassa capillaris, Watson, 503. Natica Alderi, Forbes, 448, 466. of certain Cypseli and Trochili (Dr. R. W. Shufeldt), 365-387. Montagui, Forbes, 448, 467. Mucronella Peachii, Johnst., 452. sordida, Phil., 448, 467.

Natural History of the Genus Dero, by E. C. Bousfield, 91.

— Selection (Gulick), 190.

 divergent Evolution not explained by (Gulick), 202-212. Necrophaga, 549.

Nemoria denticularia, Walk., 531, 544. Nephrops norvegicus, Linn., 45, 454, 469.

Neptunus pelagicus, Linn., 110.

Nerita, 493.

ascensionis, Gmelin, 493, 503.

Nesticus, 125.

speluncarum, 125.

Neuroptera, 531.

Nicotiana tabacum, 264.

Nika edulis, *Risso*, 454, 469.

Nitella, 474.

Noctua armigera, Hübn., 544.

Noctuæ, 531.

Notes on some of the Birds and Mammals of the Hudson's Bay Company's Territory, and of the Arctic Coast of America, by Dr. J. Rae, 136.

Notes on a Collection of Crustacea from Singapore, by A. O. Walker,

107.

Notes on the Zoology of Fernando Noronha, by H. N. Ridley, 473.

Nucula nitida, Sow., 46, 450, 467. nucleus, Linn., 450, 467. sulcata, Bronn, 450, 467. tenuis, Mont., 450, 467.

Nursia plicata, Herbst, 111.

Nyctibius, 299, 339, 351, 388.

Nyctidromus albicollis, var. Merrilli, and Cypseloides niger, Notes on (Dr. R. W. Shufeldt), 383.

Nyctidromus, 351, 383, 384, 388. albicollis, var. Merrilli, 351 ftnote, 383, 384.

Nyctiphanes norvegica, M. Sars, 456,

Nyctornis ætherens, 340. grandis, 340, 343.

Observations on the Anatomy of Antrostomus apart from the Skeleton (comparisons with Chordeiles) (Dr. R. W. Shufeldt), 343–352.

Observations on Ants, Bees, and Wasps, Part XI., by Sir John Lubbock, 118.

Ochralea, 163.

Octopus rugosus, Bosc, 484.

Ocypoda, Fabr., 512.

arenaria, Catesby, 512. arenarius, Kingsl., 512.

Ocypodidæ, 512. Odonata, 531.

Œcanthidæ, 534.

Œcanthus pallidocinetus, Kirb., 530, 533.

Œcella, Kirb., 530, 535.

furcifera, Kirb., 530, 535.

Enidea, Baly, 156, 157, 159. cæruleipennis, Baly, 159, 187. Jacobyi, Baly, 160, 187. pallipes, Fabr., 161, 187.

Oithona challengerii, Brady, 151. plumifera, Dana, 151. setiger, Dana, 151. spinifrons, Boeck, 151, 456.

Oligochæta of Fernando Noronha, by W.

B. Benham, 560.

Oligochæta, 99, 100, 103, 560.

Oliva Bülowi, G. B. Sowerb., 395,

emicator, Meuseh., 395. fulgida, *Reeve*, 487, 503. literata, Lamk., 487. nivea, 487. pulchella, Duclos, 487, 503.

(Olivella) nivea, Gmelin, 487.

Oncæa obtusa, Dana, 153. Oncinopus neptunus, Adams & White, 109.

Onus cimbrius, Linn., 446. maculatus, Risso, 446.

Onychomorpha lamelligera, 111, 117.

Ophiacantha, sp., 560. Ophidonais, ftnote, 98.

Ophiocnida brachiata, 44.

Ophiocoma echinata, *Ag.*, 560. nigra, *O. F. Müll.*, 458, 470. pumila, *Lütk.*, 560.

Ophioglypha affinis, Lütk., 458, 470. albida, Forbes, 44, 458, 470. lacertosa, Penn., 44, 458, 470.

Ophiopholis aculeata, O. F. Müll., 458, 470.

Ophiothrix pentaphyllum, Penn., 45, 458, 470.

Ophiura cinerea, M. & Tr., 560. Ophiuroids, 44.

Ophrys apifera, 237.

Opsibotys flavidissimalis, Grote, 531,

Orasema, Cameron, 29, 33. flavipes, Cam., 29.

stramineipes, Cam., 29. Orcophorus reticulatus, Adams & White, 111.

Organism, migration of (Gulick), 193.

Oribatidæ, 296.

Orthalicus MacAndrewi, G. B. Sowerb., 398, 400.

Bensoni, 399.

Orthoptera, 530.

Parthenopidæ, 109.

Partula, 501.

586 INDEX. Pasiphæa sivado, Risso, 456. Osteology of Chordeiles, Phalænoptilus, Patagial Muscles of the Pectoral Limb and Antrostomus (Dr. R. W. Shufeldt), 348-352.

— of the Hirundinidæ (Dr. R. W. of Antrostomus and Chordeiles, on the mode of Insertion of the (Dr. R. Shufeldt), 358. W. Shufeldt), 344. of Trogon mexicanus and T. puella (Dr. R. W. Shufeldt), 318-Patagona, 370. gigas, 369. 338. Paussidæ, 121. Pecten maximus, Linn., 450. Otocoris, 309, 310, 316, 317. noronhensis, Smith, 503. alpestris arenicola, ftnote 309, 312, opercularis, Linn., 450, 467. Ovicells of Cyclostomatous Bryozoa, on pusio, Linn., 450, 467. septemradiatus, Müll., 450, 467. some, by A. W. Waters, 275. of some Lichenoporæ, on the, by striatus, Müll., 450, 467. A. W. Waters, 280. tigrinus, Müll., 450. Ovulum, 397. Pectinaria belgica, Pall., 458, 469. Pectinatella, 62. Philippinarum, 397. (Birostra) Haynesi, G. B. Sowerb., Pectoral Limb of Antrostomus and Chordeiles, on the Mode of Insertion 397, 400. of the Patagial Muscles of the (Dr. Oxalis Noronhæ, 474. R. W. Shufeldt), 344.

Pectoral Limbs of certain Cypseli and Trochili, A Critical Comparison of the (Dr. R. W. Shufeldt), 369. Oxyrhyncha, 109. Oxystomata, 111. Pachygrapsus transversus, Gibbes, 110, Pectoralis major, 357. Pectunculus angulatus, 399. Pachyzancla detritalis, Guén., 531, 546. Paguridæ, 112. crebreliratus, G. B. Sowerb., 399, Pagurus Bernhardus, 45. 400. maculatus, Catesby, 512. pectinatus, Gmelin, 503. Pelecanidæ, 480. Prideauxi, 45. Pelvic Limb in Antrostomus and Chor-Thompsoni, 45. Palæmon carcinus, Fabr., 112. deiles, Anatomy of the (Dr. R. W. Palæmonidæ, 112, 518. Shufeldt), 346. Palinuridæ, 112, 516. Penæidæ, 112, 523. Penæus affinis, M.-Edw., 112. Palinurus ornatus, Fabr., 112. monodon, Fabr., var. carinatus, Dana, 112. Palmipes membranaceus, 45. Palpicornia, 549. velutinus, Dana, 112. Pandalus, 465. annulicornis, Leach, 45, 456. brevirostris, Rathke, 456. Pennatula phosphorea, Linn., 44, 460. Pentatoma testacea, Dall, 532, 546. Pantala flavescens, Fabr., 531, 537. Pentatomidæ, 532. Panulirus, *Gray*, 506, 516, 517. echinatus, *S. I. Smith*, 516. Periceridæ, 507. Perigonimus repens, Wright, 460. inermis, Kirkp., 516. Perilampinæ, 28. ornatus, Fabr., 516. Perionyx, 563. Papilio Hanno, Stoll, 543. Periplaneta americana, Linn., 530, Paracalanus parvus, Claus, 148. 532.Paradesmus gracilis, C. Koch, 526, Petrochelidon, 354, 361. lunifrons, 304, 354, 361. 528.Petrolisthes, Stimps., 513. Parasitic Acari found in Great Britain, asiaticus, Leach, 515. on some unrecorded, by A. D. Michael, 400. corallicola, var., Hasw., 112, 117. Paraulaca, 168, 188. dentata, M.-Edw., 112. angulicollis, Motsch, 188. marginatus, Stimps., 513, 515. (Aulacophora) angulicollis, Motsch, Phaethon athereus, Linn., 480. Phakellura hyalinata, Linn., 531, 545. 168.Paridea, 26. Phalæna-Geometra hyalinata, Linn., thoracia, Baly, 27,

Phalænoptilus, 322, 334, 349, 350, 351,

384.

INDEX. Phalænoptilus Nuttalli, 302, 339, 348, Pleurotoma solida, C. B. Adams, 485. 349, 351, 384, 393. Phanopteridæ, 530. Pharomacrus mocinno, 321. Phasianella, sp., 503. Pheidole omuivora, Kirb., 531, 539. pusilla, Heer, 539. Philhydrus marginellus, Fabr., 549. Philine scabra, 46. Philyra pisum, De Haan, 111. Pholas crispata, 46. Phycididæ, 531. Phycis zinckenella, Treitschke, 546. Phylactolæmatous Polyzoa, 61. Phyllodromia poststriga, Walk., 530, 526. Physiological Selection and Segregate Fecundity (Gulick), 197–202. Phytophaga, 156. Picariæ, 388. Picidæ, 330. Pilumnus de Haanii, Miers, 110. labyrinthicus, Miers, 110. vespertilio, Fabr., 110. Pimpinella saxifrage, 82. Pinnotheres obesus, Dana, 111. Pinnotheridæ, 111. Pisa bicornuta, Latr., 507. Pisania pusio, Linn., 486. Pisces, 446, 462, 464. Pisces of Fernando Noronha, by G. A. Boulenger, 483. Pisum sativum, 237, 265. Plagusia, Latr., 513. depressa, Fabr., 513. Planorbis, 475. fragilis, Brazier, 502. Gilberti, Dunker, 502. noronhensis, Smith, 502, 503. Platalea ajaja, 380. Platyarthrus, Experiments with (Sir J. Lubbock) 124. Platyarthrus Hoffmanseggii, 136. Platypus parallelus, F., 554. Platyxantha, Baly, 158. clypeata, Baly, 158-187. 483. Plecotrema, 501. Plesiofungidæ, Dunc., 570. Pleuromma abdominale, Claus, 148. Pleuronectes cynoglossus, Linn., 44, flesus, Linn., 448. limanda, Linn., 448. 458.microcephalus, Donov., 448. platessa, Linn., 448. Pleurotoma cuprea, Reeve, 485. fuscescens, Gray, 485. nebula, 395.

nigrescens, Gray, 485.

paxillus, Reeve, 485.

turricula, Mont., 46. (Bela) turricula, Mont., 448, 466. (Crassispira) fuscescens, Gray, (Mangelia) Brionæ, G. B. Sowerb., 395, 400. Plumatella, 61, 62, Aplini, Macgill., 64. repens, var. a, Allm., 64. Plumularia Catharina, Johnst., 460. pinnata, Linn., 460. Pocock, R. I., Crustacea of Fernando Noronha, 506. -, Myriopoda of Fernando Noronha, Podargus, 299, 339, 351, 388. gigas, 340. Podoceropsis Sophia, Boeck, 456. undata, Spence Bate, 456. Podophthalmia, 109, 113. Podophthalmus vigil, Fabr., 110. Polistes, 474. instabilis, Sauss., 541. Ridleyi, *Kirb.*, 531, 541. called Marimboudo in Fernando Noronha, 541. Pollen, Darwin on the influence of Potency in (Gulick), 242. Polycarpa pomaria, Sav., 448, 466. Polycremnus ochtodes, Herbst, 110. Polyergus rufescens, 118, 120. Polyonyx cometes, Walk., 112, 116, 117.obesulus, White, 112. Polyplacophora, 503. Polytherses, Duchass. et Mich., 564, 566, 568, 569. Polytrema, 564, 565. miniaceum, 564. Polytrichum, 44. Polyzoa of Fernando Noronha, by R. Kirkpatrick, 504. Polyzoa, 61, 452, 462, 464, 465, 504. Pomacentrus leucostictus, M. & T., Pompilidæ, 531. Pompilus nesophilus, Kirb., 474, 531, 540.sobrinus, Blanch., 540. Pontobdella muricata, Linn., 458 Porania pulvillus, O. F. Müll., 45, Porcellanella picta, Stimps., 112, 117. (Petrolisthes) corallicola, Hasw., 113.Porcellanidæ, 112, 513. Porcellanidea, 513. Porcellidium viride, Philippi, 152. Porella compressa, Sow., 452.

Porifera of Fernando Noronha, by H. J. Carter, 564. Porifera, 460, 462. Portunidæ, 110. Portunus, 45. depurator, Linn., 45, 454, 468. holsatus, Fabr., 45, 454. marmoreus, Leach, 454. pusillus, Leach, 45, 454, 468. Prairie-hen, 139. Priapulus caudatus, 45, 47. Pristiurus melanostomus, Bonap., 446. Progne, 352-366. subis, 301, 304, 352, 355, 358, 365, 393. Proto, Dutrochet, 94, 103. Psalurus, 299, 351, 388. Psammobia Ferroensis, 46. Psammonemata, 568. Pseudocalanus elongatus, Boeck, 148, Pseudocophora, Jacoby, 29, 168. ambusta, Erichs., 169, 170, 172, 174, 175, 188. bicolor, Jacoby, 169. brunnea, Baly, 26, 169, 170, 173, 174, 188. Buquetii, Guér., 169, 170, 171, 172, 188. distincta, Baly, 169, 171, 188. Erichsoni, Baly, 169, 171, 188. flaveola, Baly, 169, 173, 188. pectoralis, Baly, 169, 174, 188. perplexa, Baly, 170, 175, 188. uniplagiata, Jacoby, 169, 173, 174, 188.Wallacei, Baly, 169, 173, 174, 188. Pseudotrimera, 556. Psilogaster, Blanch., 30, 33. cupreus, Blanch, 30. pallipes, Brullé, 30. Psilopus metallifer, Walk., 474, 532, 548. Psclus phantapus, Strussenf., 458. Pterylographical tracts of Antrostomus and Chordeiles, on the (Dr. R. W. Shufeldt), 339-343. Noachina, Puncturella Linn., 450, 467. Pupa pellucida, Pfeiffer, 501. solitaria, Smith, 501, 503. Purpura accineta, d'Orb., 486. hæmastoma, Linn., 486. Pycnarthrum gracile, Eichh., 554. setulosum, Waterh., 553. Pycnogonum littorale, 46. Pygidicrana notigera, Stul, 530, 532. Pyrales, 531.

Pyralis manihotalis, Guén., 531, 545.

Pyralis perspectalis, Hübn., 545. Pythia inflata, Pfeiffer, 501. Rae, Dr. J., Notes on some of the Birds and Mammals of the Hudson's Bay Company's Territory, and of the Arctic Coast of America, 136. Raja clavata, Linn., 446. fullonica, Linn., 446. maculata, Montag., 446. Ranunculus aquatalis, 82. Recognition of Friends in Ants, Bees, and Wasps (Lubbock), 128. Relation between Formica sanguinea and its slaves, 118. Remips, Latr., 515. cubensis, de Sauss., 515. scutellatus, Fabr., 515. Reptilia of Fernando Noronha, by G. A. Boulenger, 481. Researches into the Life-histories of Glyciphagus domesticus and G. spinipes, by A. D. Michael, 285. Rhagovelia incerta, Kirb., 532, 548. Rhaphidonemata, 568. Rhincalanus cornutus, Dana, 148. gigas, *Brady*, 148. Rhipipallus, *W. F. Kirb.*, 31, 33, 37. Cameroni, *W. F. Kirb.*, 37. volusus, Walk., 31, 37. Rhizopidæ, 110. Rhomboidichthys lunatus, Linn., 483. Rhombus megastoma, Donov., 446. norvegicus, Günther, 446. punctatus, Bl., 446. Rhopalocera, 531. Rhynchophora, 553.

Rhynchopnora, 353.
Rhynchopora bispinosa, Johnst., 504.
Ridley, H. N., Notes on the Zoology of
Fernando Noronha, 473.

—, Thysanura and Collembola of
Fernando Noronha, 556.
Ridley, S. O., On the Characters of the
Genus Lophopus, with description of

a new species from Australia, 61.

Rissoa, sp., 503. abyssicola, Forbes, 448, 466.

Rock-grouse, 140. Romanes, G. J., Experiments on the Sense of Smell in Dogs, 65. Rossia Oweni, *Ball*, 448. Rotifera, 97.

Rotifera, 97. Rusticus adolescens Hanno, Hübn., 543.

Sabella pavonia, Sav., 458, 469. Saccharissa, W. F. Kirb., 37. contingens, Walk., 37. Salarias atlanticus, C. & V., 483. vomerinus, C. & V., 483. Salmacis, 58.

Salmo albus, 90. cæcifer, Parnell, 71. cumberland, Lacép., 74. fario, 71, 75, 76, 79, 86, 90. ferox, ftnote 84, 86. iridens, ftnot -, 87. lemanus, 75, 90. levenensis, Walk., 71, 72, 76. salar, ftnote, 71. taurinus, Walk., 71, 72. Salmon-trout, ftnote, 71. Samea castellalis, Guér., 531, 545. Sand-wasps, 474. Sapphirina inæqualis, Dana, 153. metallina, 153. serrata, Brady, 153. Sarcophaga calida, Wiedem., 532, 548. carnaria, 420. Sarcoptidæ, 401, 405. Saxicava rugosa, Linn., 452, 467. Sayornis, 313. Scalaria hellenica, Forbes, 503. Scalpellum vulgare, Leach, 456. Scaphander lignarius, Linn., 448. Scapteriscus abbreviatus, Scudd., 530, 533. Schizaspidia, Westw., 31, 33. furcifera, Westw., 31. maculata, Westw., 29. Murrayi, Kirb., 37. plagiata, Walk., 31. Schizophrys aspera, A. M.-Edw., 109, —, var. spinifrons, A. M.-Edw., 113.Schizoporella unicornis, Johnst., 452, 504.Scolecithrix Danæ, Lubbock, 148. minor, Brady, 148. Scolopendra morsitans, Linn., 526. Scoparia dulcis, 474. Scrobicularia prismatica, 46, Scrupocellaria, 504. frondis, Kirkp., 504, woodcut, 505. reptans, Linn., 452. Scutellidum tisboides, Claus, 153. Scyllaridæ, 112. Scymus, sp., 556. xeranipelinus, Muls., 556. Scythrops, 338. Sea-pen, 41. Segregate breeding (Gulick), 192-195. Segregation, Causes of Cumulative (Gulick), 222–274. -, Cumulative divergence through Cumulative (Gulick), 212-222.

-, Spencer's Law of (Gulick), 195.

Seira Buskii, Lubb., 559.

musarum, Ridley, 559.

Selandria meridionalis, W. F. Kirb., 34, Selandriinæ, 34. Selection, effects of, and independent generation contrasted (Gulick), 202-212.Semele chinensis, Sowerb., 498. cordiformis, Chemnitz, 498. lenticularis, Sowerb., 498. luteola, Reeve, 498. luteola, A. Adams, 498. modesta, Recve, 498. modesta, A. Adams, 498. nitida, Müll., 452, 468. reticulata, Sowerb., 498. sinensis, A. Adams, 498. subtruncata, Reeve, 498. tenuis, Mont., 452, 468. (Abra) alba, Wood, 452, 468. Separation and Variation of species (Gulick), 191. Sepiola Rondeleti, Leach, 448. Serpula vermicolaris, Linn., 458, 469. Serricornia, 550. Sertularella fusiformis, Hincks, 460. Gavi, Lamx., 460. rugosa, Linn., 460. Sertularia abietina, Linn., 44, 460. argentea, Ell. & Sol., 460. Sesarma Bocourti, A. M.-Edw., 110, 117.Sessile-eyed Crustacea, 46, 74, 83. Setella gracilis, Dana, 151. Sharpe, R. Bowdler, Aves of Fernando Noronha, 477. Shells, descriptions of fourteen new species of, by G. B. Sowerby, 395.
Shufeldt, Dr. R. W., Studies of the
Macrochires, Morphological and otherwise, with the view of indicating their Relationships and defining their several Positions in the System, 299. Siderastræa siderea, Ellis & Soland., stellata, Verrill, 570. Silpha, 126. thoracica, 126. Silver-grey trout, 72. Sim, Geo., Occurrence of Lumpenus lampetriformis on the North Coast of Scotland; with Notes on its Habits, Food, and the Ground it frequents, 38. Siphonaria brunnea, Hanley, 497. hispida, Gould, 497. lineolata, d'Orbigny, 497. pieta, var., Smith, 497, 503.

Siphonodentalium tetraschistum, Wat-

son, 503.

Stichaster rosens, O. F. Müll., 45, Sitophilus oryzæ, Linn., 553. Sitoplidus oryzæ, 475. Skink, 475, 476, 481. Stilbula, Spin., 31, 33. Sladen, W. Percy, and Prof. P. M. Duncan, On the Anatomy of the cynipiformis, Rossi, 31, 37. Stomatella nigra, Quoy & G., 503. Perignathic Girdle and of other Stomatoceras, 36. diversicornis, W. F. Kirb., 36, 37. Parts of the Test of Discoidea cylindrica, Lamk., sp., 48. Magrettii, W. F. Kirb., 35, 36, Slavina, ftnote, 98. Smell in Ants, Bces, and Wasps (Lub-Stomatopoda, 113, 526. Stomatopora granulata, M.-Edw., 454. bock), 125. Strategus antæus, Fabr., 550. Smith, E. A., Mollusca of Fernando Noronha, 483. Strongylocentrotus, 58. Smittia reticulata, MacGill., 452. Studies of the Macrochires, Morpholo-Smittipera antiqua, Busk, 504. gical and otherwise, with the view of indicating their Relationships and Snow-goose, 138, Solarium, sp., 503. defining their several Positions in Solaster endeca, Gm., 458. the System, by Dr. R. W. Shufeldt, Solea variegata, Donov., 448. 299.Solen pellucidus, Penn., 46, 450. Sturnella, 310. Sowerby, G. B., Descriptions of four-Styela grossularia, V. Ben., 448, 466. teen new species of Shells, 395. rustica, *Linn.*, 448, 466. Spatangus purpureus, A. F. Müll., 45, Stylaria, ftnote, 99. 458, 470. Suberites ficus, Johnst., 460. Spencer, H., Law of Segregation (Gumassa, Sdt., 566, 568. lick), 195. suberea, Mont., 460. Spectyto, 323. Sula leucogastra, 480. Spermacoce, 479. Survival of the fittest (Gulick), 189. Symbiotes, 401, 402. Sphagnum, 44. Spirastrella cunctatrix, Sdt., 565. setiferus, 404. tripilis, Mich., 403, 406; parasitic on hedgehog (Erinaceus Spirobolus, 526. noronhensis, Pocock, 528. europæus), 404. paraensis, Humb. & Sauss., 529. Spondylus, sp., 500. Synascidia, 565. Sponges, 465. Synnotum aviculare, Pieper, 504. Spongillidæ, 64. Syrphidæ, 532. Spongiophaga communis, 564. Syrphus vesiculesus, Fabr., 548. Spotted Guinel, 39. Tachycineta, 361, 362, 364. Squilla chiragra, Fabr., 526. bicolor, 305, 354, 361. nepa, Fabr., 113. thalassina, 305, 354, 361, 362, 364, Stalk-eved Crustacea, 45. Steatornis, 299, 339, 351, 352, 388. 394. Steganoporella Smittii, Hincks, 504. Tachypetes aquila, 480. Stelgidopteryx serripennis, 305, 362. Tachytes inconspicious, Kirb., 474, 531, Stelletta, 565, Stenogyra (Opeas) Beckiana, var., iridipennis, Smith, 540. Smith, 502. Tapinoma, 129. —) octonoides, C. B. Adams, erraticum, 121. Tarucus Hanno, Stoll, 531, 543. 502.(——) subula, *Pfeiffer*, 502. monops, Zell., 543. Stenopola dorsalis, Thunb., 530, 536. Tectura fulva, Müll., 450. Stenopusculus, Richters, 506, 523. Teleophrys cristulipes, Stimps., 508, crassimanus, Richters, 523, 525. 509.spinosus, Kirkp., 506, 523. Tellina cordiformis, Chemnitz, 498. Stenorhynchus longirostris, M.-Edw., decussata, Wood, 498. fabula, 46. 454, 468. Stenorhynchus rostratus, Linn., 454, reticulata, Linn., 498. sordida, 452. Stenothoë monoculoides, Mont., 456. Temnocera vesiculosa, Fabr., 474, 532, Stichæus lampetræformis, 446.

Temnopleurus, 58. Temora dubia, Lubboek, 150. longicornis, Müll., 456. Tenthredinidæ and Chalcididæ, On Genera and Species of, by W. F. Kirby, 28, 34. Tenthredininæ, 34. Terebrantia, 531. Terebratulina caput-serpentis, Linn., · 452, 468. Tethya cranium, 566, 568. Tetragonaspis flavicollis, Mayr, 538. gracilicornis, Mayr, 538. Tetramelia, W. F. Kirb., 31, 33. plagiata, Walk., 31. Tetrao mutus, ftnote, 140. rupestris, 140. saliceti, 139, 140. Thalamita sima, M.-Edw., 110. Thalassina anomala, Herbst, 112. Thalassinidæ, 112. Thalassinidea, 515. Thalestris Mysis, Claus, 152. 1 ufocineta, Norm., 152. Thalotia Wilkie, G. B. Sowerb., 397, 400. Thenus orientalis, Herbst, 112. Thermesia gemmatalis, Hübn., 531, Thompson, J. C., Copepoda of Madeira and the Canary Islands, with Descriptions of new Genera and Species, 145.

145.
Thoracantha, Latr., 32, 33.
atrata, Walk., 32.
coleopteroides, Waterh., 32.
fureata, Haliday, 32.
Latreillii, Guér., 32.
striata, Perty, 33.

Thuiaria thuia, 44.
Thyone fusus, O. F. Müll., 458, 470.
Thysanura and Collembola of Fernando Noronha, by H. N. Ridley, 556.
Tlos muriger, Adams & White, 111.
Tomicus, 553.

Tomigerus, 484, 501. Torinia æthiops, *Menke*, 491. eyelostoma, 492. cylindracea, 492.

nubila, 492. Tornatella fasciata, 46.

Trachea, Visceral Anatomy, and other parts, On the (Dr. R. W. Shufeldt), 358.

Tragosia infundibuliformis, Johnst., 460.

Tramea basalis, Burm., 531, 537. Trapezia eymodoce, Herbst, 110. Trematodes, 437, 438, 439. Trichoxenia cineraria, Walk., 35, 37. Tricoryna, W. F. Kirb., 29, 33. Trigla gurnardus, Linn., 446. Triglops Murrayi, Günther, 446. Tringa alpina pacifica, 140. Tripneustes esculentus, Leske, 560. Triton, 490.

con, 490.

Cantrainei, Récluz, 486.
gallinago, Reeve, 490.
obscurus, Reeve, 490.
pilearis, Lamk., 490.
Ridleyi, Smith, 489, 503.
testudinarius, Adams & Reeve, 490.

(Epidromus) testaceus, Möreh, 490.

Trochili and Cypseli, A Critical Comparison of the Pectoral Limbs of certain (Dr. R. W. Shufeldt), 369.

R. W. Shufeldt), 365–387.

Trochilidæ, 299, 301, 306.

Trochilus, Anatomical Notes upon the Nestling of (Dr. R. W. Shufeldt), 385.

Trochilus, 365–392.

Alexandri, 303, 377.

Anna, 303.

Calliope, 304, 382, 394.

colubris, 303, 380, 381.

moschitus, 366, 368.

platycerus, 303, 365, 368, 370, 374, 381, 394.

rufus, 304, 375, 377, 378, 394. Trochus *digitatus*, Reeve, 493.

magus, Linn., 448.
nobilis, Philippi, 494.
Olfersi, Troschel, 493.
(Eutrochus) jujubinus, Gmelin,
493, 494.
(—) gemmosus, Reeve, 494.

(Gibbula) cinerarius, Linn., 448, 467.

(Infundibulum) baccatus, G. B. Sowerb., 397, 400.

(Zizyphinus) millegranus, Phil., 448, 467.

(——) zizyphinus, *Linn.*, 448, 467. Trogon, 300–338.

Alexandri, 333. ambiguus, 318.

mexicanus, 302, 306, 318-338, 387, 393.

puella, 302, 306, 318, 321-327, 333, 387, 388.

Trogon mexicanus and T. puella, Osteology of (Dr. R. W. Shufeldt), 318-338.

Venus lineta, 46.

Trogonidæ, ftnote 300. Trogophleus pusillus, Grav., 549. Trout, bill, ftnote 71, 72. grey, ftnote 71, 72. Loch-Leven, 71–90. salmon-, ftnote 71. silver-grey, 72. Truxalis dorsalis, Thunb., 536. Trypanidius dimidiatus, Th., 555, 556. isolatus, Waterh., 555. melancholicus, 556. Tryphosa longipes, Spence Bate, 456. Tubifex, ftnote, 99. Tubularia indivisa, Linn., 44, 460. Tunicata, 444, 448, 462, 464, 466, 471, 472.Turbo digitatus, Deshayes, 493. imbricatus, Sowerb., 493. unguis, Wood, 493. (Calcar) Olfersi, Troschel, 493. Turricula, 396. Turritella terebra, Linn., 448, 466. Typhlocarcinus villosus, Stimps., 110, Tyranuidæ, 301, 309, 310, 311, 312, 313, 316, 478. Tyrannus, 316. tyrannus, 356. verticalis, 309, 314, 315, 392. Tyrant Flycatcher, 310. Tyroglyphidæ, 296. Tyroglyphus, 286, 287, 295, 296, 297. siro, *Linn.*, 287.

Unicavea californiea, D'Orb., 282. Urobenus, 561. Urocheta, Perrier, 561, 562, 563. corethrura, F. Müller, 562, 563. dubia, Horst, 562, 563. Uromelia, W. F. Kirb., 33. striata, 33. Uronais, 94. Utriculus canaliculatus, Say, 503.

Variation and Separation of Species (Gulick), 191.
Velia collaris, Burm., 548.
Veliidæ, 532.
Velutina lævigata, Penn., 448, 466.
Venus fasciata, DaC., 450.

(Anaitis) paphia, *Linn.*, 497. Vermes, 458, 462–472. Vesicularia spinosa, Linn., 454. Vespa signata, Linn., 540. Vespidæ, 531. Vireo gracilirostris, Sharpe, 478. magister, 478. Vireonidæ, 478. Virgularia mirabilis, O. F. Müll., 460. bianca, 480. preta, 479. Viuva preta, 479. Viviparous Blenny, 41. Wagner, Moritz, On the Law of the Migration of Organisms (Gulick), 193. Walker, A. O., Notes on a Collection of Crustacea from Singapore, 107. Wasps, Ants. and Bees, Observations on, by Sir John Lubbock, 118-136.

ovata, Penn., 450, 467.

Waterhouse, Chas. O., Coleoptera of Fernando Noronha, 548.
Waters, A. W., On some Ovicells of Cyclostomatous Bryozoa, 275.
—, On the Ovicells of some Lichenoporæ, 280.
Waxwings, 301.
Westwoodila nobilis, *Baird*, 152.
Westwoodilla cœcula, *Spence Bate*, 456.
Willow-grouse, 139.
Witch-sole, 44, 45, 46.

Xantho, Dutroch., 93, 103. decapoda, 93. hexapoda, 93. scaberrimus, Walk., 109, 115, 117. Xenophora corrugata, Reeve, 503. Xylopertha, sp., 550. Xylophaga, 553.

Zenaida aurita, Gray, 479.
maculata (V.), Sel. & Salv., 479.
noronha, Gray, 479.
Zoarces (Viviparous Blenny), differentiative characters in, 41, 42.
Zoarces, 41, 42.
viviparus, 39, 41.
Zoophyta, 44.

END OF THE TWENTIETH VOLUME.